



Frederick P. Fish
1855-1930

W.K. Richardson
1859-1951

FISH & RICHARDSON P.C.

May 2, 2001

601 Thirteenth Street N.W.
Washington, DC 20005

Telephone
202 783-5070

Facsimile
202 783-2331

Web Site
www.fr.com



Attorney Docket No.: 06998-074001

Box Patent Application

Commissioner for Patents
Washington, DC 20231

Presented for filing is a new patent application claiming priority from a provisional patent application of:

Applicant: DANIELL STEVENS, ROBERT ROTH, JOEL M. GOULD, MICHAEL J. NEWMAN, DEAN STURTEVANT, CHARLES E. INGOLD, DAVID ABRAHAMS AND ALLAN GOLD

Title: ERROR CORRECTION IN SPEECH RECOGNITION

Enclosed are the following papers, including those required to receive a filing date under 37 CFR §1.53(b):

	<u>Pages</u>
Specification	44
Claims	9
Abstract	1
Declaration	[To be Filed at a Later Date]
Drawing(s)	24

Enclosures:
— Postcard.

Under 35 USC §119(e)(1), this application claims the benefit of prior U.S. provisional application 60/201,257, filed May 2, 2000.

Basic filing fee	\$710
Total claims in excess of 20 times \$18	\$594
Independent claims in excess of 3 times \$80	\$240
Fee for multiple dependent claims	\$0
Total filing fee:	\$1544

Under 37 CFR §1.53(f), no filing fee is being paid at this time.

TELESCOPE 6945769

BOSTON

DALLAS

DELAWARE

NEW YORK

SAN DIEGO

SILICON VALLEY

TWIN CITIES

WASHINGTON, DC

Figure 1 consists of 12 bar charts (a-l) showing the percentage of total catch for various fish species in the Chesapeake Bay. The species are: (a) Atlantic croaker, (b) Atlantic menhaden, (c) Atlantic silverside, (d) Atlantic tomcod, (e) Atlantic herring, (f) Atlantic bluefish, (g) Atlantic mummichog, (h) Atlantic white perch, (i) Atlantic striped bass, (j) Atlantic bay anchovy, (k) Atlantic bay anchovy, and (l) Atlantic bay anchovy. Each chart shows the percentage of total catch for each species across different years (1980, 1985, 1990, 1995, 2000, 2005, 2010, 2015, 2020). The y-axis represents the percentage of total catch, ranging from 0 to 100. The x-axis represents the year. The charts show that Atlantic croaker and Atlantic menhaden are the most abundant species, while Atlantic white perch and Atlantic striped bass are the least abundant.

Commissioner for Patents
May 2, 2001
Page 2

If this application is found to be incomplete, or if a telephone conference would otherwise be helpful, please call the undersigned at (202) 783-5070.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Please direct any questions regarding the above application to Diana DiBerardino at (202) 783-5070.

Please send all correspondence to:

JOHN F. HAYDEN
Fish & Richardson P.C.
601 Thirteenth Street, NW
Washington, DC 20005

Respectfully submitted,

Diana DiBenedictis

Diana DiBerardino
Reg. No. 45,653
Enclosures
DZD/ad
40054823 doc